



**RG**<sup>®</sup>  
Right Goods

**Khaitan**<sup>®</sup>

## STRONG AND HEAVY DUTY COOLERS




## RG (Khaitan) Air Cooler 2025



## WORKING MECHANISM

### MECHANISM

Air coolers make use of a simple air moving system that pulls fresh air from outside and drives it through the wet cooling pads. The evaporation of water in these cooling pads brings down the temperature of the air, which is then blown out by the fan or blower.



### MECHANISM

- CMH defines the volume of air a fan can blow in an hour.
- The higher the CMH rating, the more air a particular fan or blower will be able to blow per hour.
- When it comes to evaporative coolers, the CMH rating has immense importance

**The greater CMH rating, the larger the area it will cool**

**PERFECT COMBINATION:** A large fan in an evaporative cooler combined with a high CMH rating. Not only will it blow a high volume of air, but it will also cover a significant area and the air will spread around.

## RG (Khaitan) Air-Cooler Positioning




### Why heavy duty coolers?

#### SUPERIOR PERFORMANCE



#### SAFETY



# High Density Honeycomb Pads

**Thicker & Smell Free Honeycomb pads which are manufactured with virgin grade raw materials**



## SHOW

### RG (KHAITAN)



35~ 60mm  
Thickness

## BENEFITS

Specially processed anti-erosion, anti-Deformation with hydrophilic property, they absorb remainder dust particles and cleanse air thoroughly. These are low maintenance and long-life cooling pads.

### POLO NG 65


## COMPARE

### OTHER BRANDS




25 ~ 32mm  
Thickness

## Reason For Recommendation




No Smell



High cooling  
Efficiency



Strength in  
wet conditions



Long Lasting  
& Durable




Low  
Maintenance

# Bacteria Shield Honeycomb Pad Technology

## **Bacteria Shield** Honeycomb Pad Technology

### Bacteria Shield Honeycomb Pad Technology



Stops bacterial breeding in water tank with preventing bacteria accumulation on the honeycomb pads. **99.9% Bacteria reduction** during use and killing the bacteria at rapid speed.

## Product Advantage [Durability]

### FEATURE

### REFERENCE

### BENEFITS

Thermal Overload  
Protection  
[Both Pump & Motor]



**Designed to protect Both pump & motor from damage** in case of a **short circuit** or when it becomes **overloaded and overheated**

*All Series*

Heavy Duty Pump  
with High Torque



**Dirt leads to pump blockage** with usage which can be overcome using high torque facility.

*All Series*

Water Cover over  
Motor



To provide **EXTRA PROTECTION** to motor from **water falling** on Motor body and thereby **enhancing life of product**.

*All Series*





Polo NG 65 is a Tall Standing Desert Cooler ideal for throwing air at bed-height position. Equipped with Large size Tank capacity of 95, 75 & 65 Ltr. which makes it suitable for long duration usage and is capable of cooling large spaces with Air-Delivery of 3600m<sup>3</sup>/h.

## 3 Side Chill-Drip Technology

**Closed View**



**Open View**



**3 SIDE  
CHILL DRIP  
TECHNOLOGY**

Polo NG 65 is a Tall Standing Desert Cooler ideal for throwing air at bed-height position. Equipped with Large size Tank capacity of 95, 75 & 65 Ltr. which makes it suitable for long duration usage and is capable of cooling large spaces with Air-Delivery of 3600m<sup>3</sup>/h.

Introducing Polo NG 65 to provide Air-throw at Bed-height position with Large Size Tank Capacity



**Shield**  
**Bacteria**  
Honeycomb Pad  
Technology

Ideal For: Medium & Large size rooms

Power (W): 190W

Rated Voltage: 220 ~ 240V

Room Size: 452ft<sup>2</sup>

Fan Size: 16" – 5 Leaf Plastic Blade fan

Control Type: 2 Knob Panel

Auto Swing: Yes

Water Level Indicator: Yes

Swing: Vertical Auto Swing

Service: 1 Year Limited Manufacturer Warranty

Product Size (mm) L x W x H:

748 x 508 x 1185 (65 L)

Product Net Weight (Kg) : 17 Kgs (65 L)

MRP: 20,500/-

## Feature

### 1 ■ ENHANCED FRESH AIR COOLING

#### Powerful Air Delivery

Air Delivery of **3600 m<sup>3</sup>/hr** for moving large volume of Air into the surrounding area.

#### Honeycomb Pad

**Smell Free & High-density** honeycomb pads with **35mm thickness** which provides high water retention rate and effective cooling.

#### XXL

#### Ice Compartment

Effective way of **boosting the cooling efficiency**

### 2 ■ IMPROVED CONVENIENCE & SAFETY

#### 3 Side Chill Drip Technology

Ice-cold water from the ice chamber comes in direct contact with all three cooling pads, **ensuring powerful cooling.**

#### Thermal Overload Protection

Unique technology which prevent **Fan motor and Pump motor from overheating**, thus providing long life

#### 3 Core 3 Pin – Power Cord

Earthing core resistance certified models. Provides **enhanced safety** to customers

### 3 ■ SOPHISTICATED APPEARANCE & FINISH

#### Aesthetically Appealing Design

Aesthetically and ergonomically appealing design which make it a delight to look

#### Superior Finish

The cooler is made of **high-quality materials**, with excellent fit and finish. Hence making it a reliable/ durable cooling device.



Pride 45: An "EASY FIT" for most modern interiors. With an incredible Powerful Air-Delivery of 2500m<sup>3</sup>/h, this "Fan based Personal Cooler" along-with "3 Side Honeycomb pads" will instantly cool you down with its powerful air throw.

## Key USP's: PRIDE NG [ 45 L ]

Stylishly designed Personal Air-Cooler which adds a dash of style to your home décor.



MRP: 15,000/-



**Shield**

**Bacteria**  
Honeycomb Pad  
Technology

Ideal For: Cooling smaller / spot areas

Ideal Climate: Moderate Heat or Humid

Power (W): 110 W

Rated Voltage: 220 ~ 240V

Air Volume: 2500 m<sup>3</sup>/hr

Cooling Capacity-Rooms up to (M<sup>3</sup>) : 83m<sup>3</sup>


Fan Size: 294 mm

Cooling Media: 3 Side Honeycomb pads

Control Type: 2 Knob

Service: 1 Year Limited Manufacturer Warranty

Product Size (cm) LxWxH: 50.7 x 42.3 x 106.0



## Feature

1

### ■ ENHANCED FRESH AIR COOLING

#### Powerful Air Delivery

Air Delivery of **2500 m<sup>3</sup>/hr** for moving large volume of Air into the surrounding area.

#### 3 Side Smell Free Honeycomb Pad

**Smell Free & High-density** honeycomb pads with **35mm thickness** provides high water retention rate and effective cooling.

#### 4 Way Air Deflection

For **even distribution of cool air**. Ensuring every corner of room is adequately cooled.

2

### ■ IMPROVED CONVENIENCE

#### Aerodynamically Designed Blades

Its **Powerful aerodynamic designed blades** ensures corner-to-corner air circulation.

#### Multi-Directional Castor Wheels with Brakes

It provide seamless moving experience with **360 degree movement** and rotation.

3

### ■ SOPHISTICATED APPEARANCE & SAFETY

#### Corrosion Resistance & Sturdy Design

Stabilized thermoplastic for aesthetic and corrosion-resistant life

#### 3 Core 3 Pin- Power Cord

Earthing core resistance certified models. Provides **enhanced safety** to customers.





Bolt 25 L :

## Key USP's: BOLT[ 25 L ]



MRP: 10,500/-



**Shield**

**Bacteria**  
Honeycomb Pad  
Technology



Tank Capacity : 25 L

Rated Power : 90 W

Fan / Blower : Fan

Fan / Blower Size : 177.8 mm

Fan / Blade Size : 8.92 Inch

Rated Voltage : 220 V - 240 V

Air Delivery : 900 m3/h

Cooling Capacity - Rooms upto : 30 m3

Room Size : 9.6 m2

Room Size : 103 ft2

Cooling Media : 3 Side Honeycomb

Bacteria Shield (Honeycomb Pad Technology) : Yes

Speed Setting : 3

Auto Swing : Yes

Air Deflection : 4 Way

Control Panel : 2 Knob Panel

Water Level Indicator : Yes

Multi directional-Castor Wheels with brakes : Yes

Power Cord : 3 Core 3 Pin

Product Size (cm) L x W x H : (32.6 x 30.0 x 76.8) cm

Product Size with Box (cm) L x W x H : (34.5 x 34.5 x 81.0) cm

Product Net Weight (kg) : 7 kg

**THANK YOU**



---

## **RG (KHAITAN) AIR COOLER**

Registered Office : Near by Radha Krishna Mandir, Kathmandu-16

Email : [service@resungaint.com](mailto:service@resungaint.com) Customer Care No. : 01-4880859

Website : [resungaint.com](http://resungaint.com)